

All Hwell designs are independently developed, we have more than 200 patent certificates. Our products have passed professional quality certifications such as Watermark, CE, CUPC, SAA, ISO, ETL etc.

We won the honorary title of Chaozhou's top ten smart toilet brands. Providing value and service to customers is our goal and mission in the industry.

EN1717 EN13077











































	Intertek CNAS 163M TESTING CNAS L0220
	TEST REPORT WMTS-030 Solenoid valves
Report Reference No:	210805188GZU-001
Tested by (name and signature):	Syanson Xu Sylanom-Yur Senior Project Engineer
Approved by (name and signature):	
Date of original issue	
Date of revised issue:	
Contents	Total test report 10 pages including:
	Report text: 8 pages
	Appendix A for product photos: 1 page
	Appendix B for revision page: 1 page
Testing Laboratory name:	Intertek Testing Services Shenzhen Ltd. Guapatron Branch
Address	Room 4103 & 4203, No. 63, Punan Road, Husingov Osovict.
	Guangzhou, Guangdong Province, China
Testing location:	
	CHAOZHOU NEW HENGWEI CERAMIC TOTAL LOGY (
Address	Hengwei sanitary ware, No. 14 Changmei Eel farm road, Fengul district, Chaozhou City, Guangdong Province
Test specification:	
	WMTS-030: 2016
Non-standard test method:	NA
Test Report Form No:	TTRF_WMTS-000_a
TTRF Originator:	Interlek Testing Services Shenzhen Ltd. Guangzhou Branch
Master TTRF:	Dated 2019-10-31
Test item description:	Solenoid valve
	-
Model and/or type reference:	See "General product information" from page 2
Manufacturer	-
Rating(s):	_
Summary of testing:	
The submitted sample was tested in ac result refer to page 3 to page 8.	coordance with the requirements of WMTS-030: 2016, for details

	Test REPORT
	AS2845.2 ply—Backflow prevention devices red air gaps and registered break tanks
Report Reference No:	210715054GZU-001
Tested by (name and signature):	Syanson Xu Senior Project Engineer Felix Li Tel: Li
Approved by (name and signature):	Felix Li Technical Supervisor
Date of original issue:	July 22, 2021
Date of revised issue:	
Contents ::	Total test report 7 pages including: Report text: 5 pages Appendix R for product photos: 1 page Appendix B for revision page: 1 page
Testing Laboratory name:	Intertek Testing Services Shenzhen Ltd. Guaggariou Branch
Address	Room 4103 & 4203, No. 63, Punan Road, Suproco Ostrict, Guangzhou, Guangdong Province, China
Testing location:	Same as above
Applicant's name:	CHADZHOU NEW HENGWEI CERAMIC TECHNIQUESCY CO., LTD.
Address:	Hengwei sanitary ware, No. 14 Changmei Eel farm road, Fengx district, Chaozhou City, Guangdong Province
Test specification:	
Standard :	AS 2845.2:2010
Non-standard test method	NA
Test Report Form No:	
TTRF Originator:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch
Master TTRF:	Dated 2021-5-10
Test item description:	Break tanks
Trade Mark	
	See "General product information" from page 2
Manufacturer:	
Rating(s) ::	-
Summary of testing:	
	found to COMPLY WITH applicable requirements of AS 2845.2-



15⁺ 200⁺

Year of experience

Patent Certificates

300000⁺

Cooperating country

Production Capacity

First factory







About Hwell

Chaozhou Xin Hwell Ceramic Technology Co.,Ltd was founded in 2010, it is an enterprise specializing in the research and development, sales and service of smart toilets and smart toilet seats, locates in Chaozhou city and currently has two factories.

The company covers a total area of 25,000 square meters and has 150 employees. The first factory is office area, showroom, smart cover assembly and testing area, smart cover warehouse, laboratory and development area. The second factory is the cover production area, raw material area, ceramic warehouse, complete machine testing area, packaging area, and loading area.



Environment

Hwell's office area is divided into reception office, documentary office, after-sales office, production office, domestic sales office, and international sales office.

The reception desk is provided for customers who visit the factory, and the staff in the documentary office are responsible for following up on the production and arrangement of orders. The after-sales office is responsible for customer feedback and problem solving. The production office is responsible for arranging daily product quantity inspection and data statistics.











Showroom

Hwell's showroom displays a full range of self-sold and self-produced smart toilet products. It simulates home installation and use, directly display all product functions and products to consumers more comprehensively.
















Production process







Injection molding of smart seat cover





Parts assembly





Function testing of smart seat cover



Warehouse of smart seat cover





Ceramic warhouse



Complete installation and function testing











Packing



Loading









COLORFUL AMBIENT LIGHT

Colorful lights the new trend of technology

Nine safety precautions



Leakage Protection



Low Pressure Protection



Water And Electricity Separation



Pressure Relief Protection



IPX4 Waterproof



Flame Retardant Protection



Wind Temperature Overheat Protection



Water Temperature Overheat Protection



Seat Overheat Protection

OPEN UNIVERSAL

Common functions

Female washing

Hip cleaning

Moving washing

Self-cleaning nozzle

One click stop

Nozzle adjustment

Auto-flushing

Flushing during power outage

Mute close

Night light

Leakage protection

Energy saving

Water heated instantly

Seat induction

Seat heating

Warm air drying

Drying air temperature adjustment

Water temperature adjustment

Seat temperature adjustment

Water pressure adjustment

vvater pressure adjustri

12V safety voltage

Double filtration

One button control

Easy-to-clean glaze

Flame retardant material

Antibacterial seat

Remote control

LED screen

Massage washing

Baby/Child washing





NO WATER PRESSURE LIMIT



Powerful booster pump Super flushing



Instantaneous siphon
Flush the inner wall to sweep
away the dirt




Big pipe with glazing Good flushing without backflow



Built-in water tank

FULLCOMFORT WASH























Intelligent toilet


Product parameters

Black/White Colour: 700x420x530mm Size: Instant Heated Heating Type: 200/250/300/400 mm S-trap:

Protection: IPX4














Spray wand sterilizati









Configuration

Built-in water tank available for option	Voice control	Foam shield	Infrared therapy	UV sterilization	Control board	Automatic switch cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Built-in aromatherapy
Basic version									•	•
High version						•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•

Common functions

Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Massage washing

Female washing

Water heated instantly Seat induction Seat heating Warm air drying

Drying air temperature adjustment Water temperature adjustment Seat temperature adjustment 12V safety voltage

Auto-flushing Flushing during power outage Mute close Night light Leakage protection

Energy saving

Baby/Child washing

Double filtration One button control Easy-to-clean glaze Flame retardant material Antibacterial seat Remote control Water pressure adjustment

















R8 Intelligent toilet

Product parameters

Colour:

White 610x510x480mm Size: Heating Type: S-trap: Instant Heated 200/250/300/400 mm IPX4


Protection:













Dimension drawing (size:mm)





Built-in water tank	Cleaning agent	Voice control	Built-in foam liquid container	Foam shield	UV sterilization	Automatic switch cover	Foot touch open cover	Foot touch open seat	Decorated light	Foot touch flushing	Built-in aromathera
Basic version										•	•
High version						•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•
Common functions	Hip cl Movir Self-c One c Nozzl LED s	le washi eaning ng washi leaning r click stop le adjustr creen age wash	ing : nozzle : ment :	Seat ind Seat he Warm a Drying a Water to Seat ter	air drying	ure adjustmen adjustment	Flushir Mute o Night li t Leakao Energy		er outage	Double filtration one button of Easy-to-clean Flame retarda Antibacterial s Remote contri Water pressul	ontrol glaze nt material seat ol

ONE BUTTON KNOB

Ergonomically designed Knobs at your fingertips

Knob operation details

Clockwise rotation
Female washing function



Rotate counterclockwise
Hip washing function





Short press the knob Drying (seated state) Flushing (not seated)





















V1-WG

Intelligent toilet

Product parameters

Colour: White

680x400x470mm Size: Heating Type: Instant Heated S-trap: 200/250/300/400 mm

Protection:















Dimension drawing

(size:mm)



Configuration

Built-in water tank available for option	Music function	Voice control	Built-in foam liquid container	Foam shield	UV sterilization	Automatic switch cover	Foot touch open cover	Foot touch open seat	Decorated light	Foot touch flushing	Built-in aromatherapy
Basic version										•	•
High version						•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•
	Fema	ıle washi	ng	Water h	neated instar	ntly	Auto-fl	ushing	С	Double filtratio	on

Common functions

Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Massage washing

Water heated instantly Seat induction Seat heating Warm air drying

Drying air temperature adjustment Water temperature adjustment Seat temperature adjustment 12V safety voltage

Auto-flushing Flushing during power outage Mute close Night light Leakage protection Energy saving

Cleaning agent (Tank only)

Baby/Child washing


One button control Easy-to-clean glaze Flame retardant material Antibacterial seat Remote control Water pressure adjustment































Product parameters

Colour: White

700x390x505mm Size: Instant Heated Heating Type: 200/250/300/400 mm IPX4 S-trap:

Protection:





Innovative front-loading bidet







Built-in foam liquid container





Magic Seat Massage











Voice control	Foam shield	Infrared therapy	UV sterilization	Control board	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open
								•	•
					•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
Hip clea Moving Self-clea One clic Nozzle a LED scr	aning washing aning nozzle kk stop adjustment een	Seat i Seat l Warn Dryin Wate Seat i	nduction neating n air drying g air temperature a temperature ac	ure adjustme adjustment	Flushing Mute clo Night lig ent Leakage Energy s	during power ose ht protection saving	r outage	One button Easy-to-clea Flame retard Antibacteria Remote con	control n glaze dant material Il seat
	Female Hip clea Moving Self-clea One clic Nozzle LED scn	Female washing Hip cleaning Moving washing	Female washing Hip cleaning Self-cleaning nozzle One click stop Nozzle adjustment LED screen Shield therapy Wate therapy	Female washing Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Seat therapy sterilization Water heated instant Seat induction Seat heating Warm air drying Drying air temperature according to the product of the produ	Female washing Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Wherapy sterilization board Water heated instantly Seat induction Seat heating Warm air drying Drying air temperature adjustment Seat temperature adjustment Seat temperature adjustment	control shield therapy sterilization board close the cover therapy sterilization board close the cover which is a sterilization board close the cover bo	Female washing Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Water heated instantly Sterilization Sterilizat	Female washing Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Intrared therapy Sterilization St	Female washing Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Shield Water heated instantly Sterilization St




















K1 Intelligent toilet

Product parameters

White/Gray/Khaki 700x400x465mm Instant Heated Colour: Size: Heating Type: S-trap: 200/250/300/400 mm IPX4

Protection:











Child Seat & Adult Seat









Configuration

Basic version High version Top version	•								•	•
	•									_
Top version	•					•	•	•	•	•
		•	•	•	•	•	•	•	•	•
Common functions	Female was Hip cleaning Moving was Self-cleanin One click st Nozzle adju LED screen Massage w	g shing ig nozzle op istment	Seat in Seat h Warm Drying Water Seat to	r heated instant induction neating n air drying g air temperatur r temperature ad emperature ad rated light	ire adjustm	Mute clo Night lig sent Leakage Energy s Baby/Ch	during powerse ht protection	r outage	Double filtra One button Easy-to-clea Flame retard Antibacteria Remote con Water press	control n glaze lant material I seat




















Universal: horizontal & vertical outlet



Vertical outlet (S-trap 50~210mm)



Vertical outlet (S-trap 50~210mm)



Horizontal outlet (P-trap 180mm)

Available models























U7 Intelligent toilet

Product parameters

Colour: White

709x389x456mm Size: Instant Heated Heating Type: 200/250/300/400 mm

IPX4 Protection:














Dimension drawing (size:mm)



Configuration

Built-in water tank available for option	Cleaning agent (Tank only)	Voice control	Built-in foam liquid container	Foam shield	UV sterilization	Automatic switch cover	Foot touch open cover	Foot touch open seat	Decorated light	Foot touch flushing	Built-in aromatherapy
Basic version										•	•
High version	•					•	•	•:	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•
Common functions	Hip cl Movin Self-c One c Nozzl LED s	le washi leaning ng washi leaning r click stop le adjusti creen age was	ing nozzle ment	Seat ind Seat he Warm a Drying Water t Seat ter	air drying air temperat	, ure adjustmen adjustment	Flushir Mute o Night I t Leakao Energy		ver outage	Double filtration One button co Easy-to-clean Flame retarda Antibacterial s Remote contro Water pressur	ontrol glaze nt material seat
Optional functions	Seat	massage	+ Front load	ling bid	et Bab	y/Child Seat					

NIGHT LIGHT SOFT LIGHT SOURCE Intimate details

double care



Streamlined one button knob

The practical focus is more on the one-button knob, Streamline the functions required daily.






















U6 Intelligent toilet

Product parameters

Colour: White

700x430x460mm Instant Heated Size: Heating Type: 200/250/300/400 mm S-trap:

Protection:





Innovative front-loading bidet





Built-in foam liquid container




Magic Seat Massage





Dimension drawing (size:mm)





Built-in water tank available for option	Built-in foam liquid container	Voice control	Foam shield	Infrared therapy	UV sterilization	Automatic switch cove		Foot touch open cover	Foot touch open seat	Built-in aromatherapy	Manual open close the cove
Basic version										•	•
High version						•		•	•	•	•
Top version	•	•	•	•	•	•		•	•	•	•
Common functions	Female was Hip cleani Moving was Self-cleani One click self-cleani Nozzle ad LED screet Massage self-cleani Massage self-clean	ng ashing ing nozzle stop justment n	Sea Sea Wa Dry Wa Sea	nter tempe	ng nperature adju rature adjustm ture adjustme	stment nent	Flush Muta Nigh Leak Ener	o-flushing shing during por se close nt light kage protectior rgy saving sy/Child washing	1	Double filtra One button Easy-to-clea Flame retarc Antibacteria Remote con Water press	control n glaze lant material I seat
Optional functions	Seat mass	sage + Fror	nt loading	bidet	Baby/Child	Seat					






















U5 Intelligent toilet

Product parameters

White/Black 700x400x450mm Colour: Size: Instant Heated Heating Type: 200/250/300/400 mm S-trap:

IPX4 Protection:














Dimension drawing

(size:mm)



Built-in water tank available for option	Voice control	Foam shield	Infrared therapy	UV sterilization	Automatic switch cover	Foot touch open cover	Foot touch open seat	256 colors of decorated light	Foot touch flushing	Single decorated li
Basic version									•	•
High version					•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•
Common functions	Hip cle Moving Self-cle One cli Nozzle LED sc	g washing eaning noz ick stop e adjustme	S y S zzle V Ent V	Vater heated inseat induction eat heating Varm air drying rying air tempe Vater temperatur eat temperatur uilt-in aromathe	rature adjustme ure adjustment e adjustment	Flushi Mute Night ent Leaka Energ Babyl		1	Double filtra One button Easy-to-clea Flame retarc Antibacteria Remote con Water press	control n glaze lant material l seat trol

SEAT FOR CHILDREN

Light-weight seat, easy to disassemble

For home use, no interference with each other


























U2 Intelligent toilet

Product parameters


Black edge/White/Blue/Khaki/Black 700x400x465mm Colour:

Size: Instant Heated Heating Type: 200/250/300/400 mm S-trap:

IPX4 Protection:


















Built-in water tank available for option	Voice control	Foam shield	Infrared therapy	UV sterilization	Control board	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open
Basic version									•	•
High version						•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•
Common functions	Hip clea Moving Self-clea One clic Nozzle a LED scr	washing aning nozzle ck stop adjustment	Seat i Seat l Warn Dryin Wate Seat i	er heated instar induction heating n air drying g air temperature er temperature ac temperature ac afety voltage	ure adjustme adjustment	Mute clo Night lig ent Leakage Energy s	during power ose ht protection	r outage	Antibacteria Remote con	control n glaze dant material Il seat
Optional functions	Baby/C	hild Seat								






















U1 Intelligent toilet

Product parameters

Colour: White

700x400x465mm Size: Instant Heated Heating Type: 200/250/300/400 mm S-trap:

IPX4 Protection:












Dimension drawing (size:mm)





Built-in water tank available for option	Dual user memory	Touch screen	Built-in foam liquid container	Voice control	Foam shield	Infrared therapy		Control board	Automatic switch cover	Foot touch open cover	Foot touch open seat	Built-in aromatherapy	Manual op dose the o
Basic version												•	•
High version									•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•	•	•
Common functions	Mov Self- One Noz LED	cleaning ving was cleaning click sto zle adjus screen sage wa	hing g nozzle pp stment	Water te	ating ir drying ir tempe emperatu	ure adjust e adjustn		Mut Nigh Leal Ene	thing during to close the close that light the kage protect trgy saving the close that the close the close that the close that the close the close the close the close the close the close that the close the close the close that the close the close that the	ion	Ea Fla Ar Re	ne button con asy-to-clean glame retardant atibacterial sea emote control ater pressure	aze material at

















G5Intelligent toilet

Product parameters

White/Black 700x400x465mm Instant Heated 200/250/300/400 mm IPX4 Colour: Size: Heating Type: S-trap: Protection:
















Dimension drawing (size:mm)





Built-in water tank vailable for option	Voice control	Foam shield	Control board	UV sterilization	Auto open/ close the cover	Foot touchopen cover/seat	Foot touch flushing	Built-in aromatherapy	Manual open/ close the cover
Basic version							•	•	•
High version				•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•
Female washing Water heated instart Seat induction Moving washing Seat heating Warm air drying One click stop Drying air temperature LED screen Seat temperature and Massage washing 12V safety voltage		ing nperature adjustm erature adjustment ature adjustment	Mute close Night light nent Leakage pr	oring power outa otection ing	Easy-to-cle Flame retar Antibacteri Remote co	n control an glaze dant material al seat			





G7

Colour:

S-trap:

Protection:

Heating Type:

Size:

Intelligent toilet

Product parameters





White/Black/Silver 700x400x465mm

200/250/300/400 mm

Instant Heated

IPX4

























Water temperature adjustment

Seat temperature adjustment


12V safety voltage

Dimension drawing (size:mm)



Energy saving

Baby/Child washing



Remote control

Water pressure adjustment

Configuration

Built-in water tank available for option	Voice control	Foam shield	Control board	UV sterilization	Auto open/ close the cover	Foot touchopen cover/seat	Foot touch flushing	Built-in aromatherapy	Manual opena close the cove
Basic version							•	•	•
High version				•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•
	Female Hip clea	washing aning		Water heated Seat induction	,	Auto-flushi Flushing du	ng ıring power outa	Double filtra	
	Moving	ving washing Seat heating		Mute close	Mute close		an glaze		
Common functions			zzle	Warm air dryi	ing	Night light		Flame retar	dant material
			Drying air ten	nperature adjustm	ent Leakage nr	Leakage protection		Antibacterial seat	

Optional functions Baby/Child Seat

Nozzle adjustment

Massage washing

LED screen

















F5

Intelligent toilet

Product parameters

Colour: White/Black 685x400x460mm Size: Instant Heated Heating Type: S-trap: 200/250/300/400 mm


IPX4 Protection:











Spray wand sterilization




Seat heating



Dimension drawing

(size:mm)



Configuration

Built-in water tank available for option	Voice control	Foam shield	Infrared therapy	UV sterilization	Automatic switch cover	Foot touch open cover	Foot touch open seat	256 colors of decorated light	Foot touch flushing	Single decorated light
Basic version									•	•
High version					•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•

Common functions

Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Massage washing

Female washing

Water heated instantly Seat induction Seat heating

Warm air drying Drying air temperature adjustment Water temperature adjustment Seat temperature adjustment Built-in aromatherapy

Auto-flushing Flushing during power outage Mute close Night light Leakage protection Energy saving

Baby/Child washing

12V safety voltage

One button control Easy-to-clean glaze Flame retardant material Antibacterial seat Remote control Water pressure adjustment

Double filtration

EASYTO INSTALL

Built-in steel frame More load-bearing, more solid.



Low decoration cost,

External water tank, no leakage risk.

Save space,

No need to reserve panel space.







Traditional concealed cistern,

Troublesome & complicated Installation & construction work, high cost.

Takes up a lot of space.



SUPER LOAD BEARING















T6

Wall-hung intelligent toilet

Product parameters

Colour: White

580x400x420mm Size: Instant Heated Heating Type: P-trap: 180 mm

IPX4 Protection:













Dimension drawing (size:mm)





Configuration

Built-in ceramic water tank	Voice control	Music function	Foam shield	UV sterilization	Auto open/ close the cover			Foot touch flushing	Manual open/ close the cover	Night light	No water pressure limited
Basic version								•	•	•	•
High version				•	•	•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•
Female washing Water			Water hea	ted instantly		Auto-flushin	g	Dou	ble filtra	ation	

Common functions

Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Massage washing

Water heated instantly Seat induction Seat heating Warm air drying Drying air temperature adjustment

Water temperature adjustment Seat temperature adjustment 12V safety voltage

Auto-flushing Flushing during power outage Mute close Night light Leakage protection Energy saving

Baby/Child washing

Double filtration One button control Easy-to-clean glaze Flame retardant material Antibacterial seat Remote control Water pressure adjustment















Intelligent toilet

Product parameters

Colour: White

580x380x450mm Size: Instant Heated Heating Type: 300/400 mm S-trap:

IPX4 Protection:










Spray wand sterilization




Built-in foam liquid



Dimension drawing

(size:mm)



Configuration

No water pressure limit

Built-in ceramic water tank	Voice control	Music function	Foam shield	UV sterilization	Auto open/ close the cover				Manual open/ close the cover	Night light	No water pressure limited
Basic version								•	•	•	•
High version				•	•	•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•
	Female washing Water heated ins			ted instantly		Auto-flushin	g	Dou	ble filtra	ation	

Common functions

Hip cleaning Moving washing Self-cleaning nozzle One click stop Nozzle adjustment LED screen Massage washing

Seat induction

Seat heating Warm air drying Drying air temperature adjustment Water temperature adjustment Seat temperature adjustment 12V safety voltage

Auto-flushing Flushing during power outage Mute close Night light Leakage protection Energy saving Baby/Child washing

Double filtration One button control Easy-to-clean glaze Flame retardant material Antibacterial seat Remote control Water pressure adjustment











T3
Intelligent toilet

Product parameters

Colour: White/Black
Size: 580x400x420mm
Heating Type: Instant Heated
P-trap: 180mm
Protection: IPX4













(T31)

Dimension drawing (size:mm)









Version	UV sterlization	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light	No water pressure limited
Basic					•	•	•	•
High	•	•	•	•	•	•	•	•

Common functions

Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob One key stop Remote control Water heated instantly Digital display screen Warm air drying Wind temperature adjustment Water temperature adjustment Seat temperature adjustment Water pressure adjustment Position adjustment Seat Induction Seat heating Flush during power failure Double filtration Mute slow down
Anti bacterium seating
Flame retardant material
Anti-fouling glaze
Energy saving
Leakage protection
12V safety voltage











T4P

Intelligent toilet

Product parameters

Colour: White/Black 580x400x450mm Size: Instant Heated Heating Type: P-trap: 180mm

Protection: IPX4









(T41P)

Dimension drawing (size:mm)







Version	UV sterlization	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light	No water pressure limited
Basic					•	•	•	•
High	•	•	•	•	•	•	•	•

Common functions

Female washing
Hip Cleaning
Massage washing
Moving washing
Auto floaning Self-cleaning nozzle
One key side knob

One key stop Remote control Water heated instantly Digital display screen
Warm air drying
Wind temperature adjustment
Water temperature adjustment

Seat temperature adjustment Water pressure adjustment Position adjustment Seat Induction Seat heating Flush during power failure Double filtration

Mute slow down Anti bacterium seating Flame retardant material Anti-fouling glaze
Energy saving
Leakage protection
12V safety voltage














T5

Intelligent toilet


Product parameters


Colour: White/Black 720x390x840mm Size: Instant Heated Heating Type: 50-300mm S-trap: 180mm P-trap: Protection: IPX4



(T51)

Dimension drawing (size:mm)







Version	UV sterlization	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light	No water pressure limited
Basic					•	•	•	•
High	•	•	•	•	•	•	•	•

Common functions

Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob

One key stop Remote control Water heated instantly Digital display screen Warm air drying Wind temperature adjustment Water temperature adjustment

Seat temperature adjustment Water pressure adjustment Position adjustment Seat Induction Seat heating
Flush during power failure
Double filtration

Mute slow down
Anti bacterium seating
Flame retardant material
Anti-fouling glaze
Energy saving
Leakage protection
12V safety voltage









32A/33A/35A Intelligent toilet

Product parameters

Colour: White 680x420x520mm Size:

Heating Type: Instant Heated 300/400 mm S-trap:

P-trap: 180mm Protection: IPX4





(33A)

(35A)



Digital display screen





One click knob



Foot touch flushing

Dimension drawing (size:mm)





Model	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light
32A/33A/35A				•	•	•
32B/33B/35B	•	•	•	•	•	•
	Female washing	One key stop		Seat temperature ac	ljustment Mute slov	w down

Hip Cleaning
Massage washing Moving washing Same function Self-cleaning nozzle

Remote control Water heated instantly Digital display screen Wind temperature adjustment Water temperature adjustment Water pressure adjustment Position adjustment Seat Induction Flush during power failure Double filtration

Anti bacterium seating Flame retardant material Anti-fouling glaze Energy saving Leakage protection 12V safety voltage

Manual open/close the cover Foot touch flushing Model Seat Induction 032 Seat heating Leakage protection

One key side knob

Anti-fouling glaze Double filtration Flame retardant material Mute slow down Auto flushing

12V safety voltage Flush during power failure





W4

Intelligent toilet

Product parameters

Colour: White

680x400x470mm Size: Heating Type: Instant Heated S-trap: 300/400 mm

IPX4 Protection:





(W1)











Foot touch flushing

Dimension drawing (size:mm)





Version	Voice control	Foam shield	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover
Basic						•	•
High			•	•	•	•	•
Тор	•	•	•	•	•	•	•

Same function

Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob One key stop

Female washing

Water heated instantly Digital display screen Warm air drying Wind temperature adjustment Water temperature adjustment Seat temperature adjustment Water pressure adjustment

Remote control

Position adjustment Seat Induction Seat heating Flush during power failure Double filtration Mute slow down Anti bacterium seating Flame retardant material

Anti-fouling glaze Energy saving Leakage protection 12V safety voltage Night light Decorated light